

# C92IMMB2

|                                        |                   |
|----------------------------------------|-------------------|
| Cooker size                            | 90x60 cm          |
| N. of cavities with energy label       | 2                 |
| Cavity heat source                     | ELECTRICITY       |
| Hob type                               | Induction         |
| Type of main oven                      | Thermo-ventilated |
| Type of second oven                    | Static            |
| Cleaning system main oven              | Vapor Clean       |
| EAN code                               | 8017709331047     |
| Energy efficiency class                | A                 |
| Energy efficiency class, second cavity | A                 |



## Aesthetics



|                                    |                      |                              |                          |
|------------------------------------|----------------------|------------------------------|--------------------------|
| <b>Design</b>                      | Square design        | <b>Type of control knobs</b> | Smeg Classic             |
| <b>Command panel finish</b>        | Enamelled metal      | <b>Controls colour</b>       | Stainless steel          |
| <b>Aesthetic</b>                   | Classica             | <b>No. of controls</b>       | 8                        |
| <b>Logo</b>                        | Assembled st/steel   | <b>Serigraphy colour</b>     | Silver                   |
| <b>Colour</b>                      | Matt Black           | <b>Display name</b>          | DigiScreen               |
| <b>Logo position</b>               | Facia below the oven | <b>Door</b>                  | With 2 horizontal strips |
| <b>Finishing</b>                   | Matt                 | <b>Glass type</b>            | Eclipse                  |
| <b>Series</b>                      | Sinfonia             | <b>Handle</b>                | Smeg Classic             |
| <b>Hob colour</b>                  | Stainless steel      | <b>Handle Colour</b>         | Brushed stainless steel  |
| <b>Type of control setting hob</b> | Control knobs        | <b>Storage compartment</b>   | Door                     |
| <b>Hob LED colours</b>             | Red                  | <b>Feet color</b>            | Silver                   |

## Programs / Functions main oven

|                                      |   |
|--------------------------------------|---|
| <b>No. of cooking functions</b>      | 8 |
| <b>Traditional cooking functions</b> |   |



Static



Circulaire



Turbo



Eco



Large grill



Fan grill (small)



Fan grill (large)



Circulaire + base

## Other functions

 Defrost by time

## Cleaning functions

 Vapor clean

## Programs / Functions auxiliary oven

Cooking functions cavity 2 3

Traditional cooking functions, cavity 2

 Static

 Large grill

 Bottom

## Hob technical features



**Total no. of cook zones** 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm

Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm

Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

|                                 |   |                                        |     |
|---------------------------------|---|----------------------------------------|-----|
| <b>Number of Flexible zones</b> | 1 | <b>Minimum pan diameter indication</b> | Yes |
|---------------------------------|---|----------------------------------------|-----|

|                                           |     |                                |     |
|-------------------------------------------|-----|--------------------------------|-----|
| <b>Automatic switch off when overheat</b> | Yes | <b>Selected zone indicator</b> | Yes |
|-------------------------------------------|-----|--------------------------------|-----|

|                                           |     |                                |     |
|-------------------------------------------|-----|--------------------------------|-----|
| <b>Automatic switch off when overflow</b> | Yes | <b>Residual heat indicator</b> | Yes |
|-------------------------------------------|-----|--------------------------------|-----|

|                                |     |
|--------------------------------|-----|
| <b>Automatic pan detection</b> | Yes |
|--------------------------------|-----|

## Main Oven Technical Features



|                                     |                   |                                               |                    |
|-------------------------------------|-------------------|-----------------------------------------------|--------------------|
| <b>No. of lights</b>                | 1                 | <b>Removable inner door</b>                   | Yes                |
| <b>Fan number</b>                   | 1                 | <b>Total no. of door glasses</b>              | 3                  |
| <b>Net volume of the cavity</b>     | 70 l              | <b>No. of thermo-reflective door glasses</b>  | 2                  |
| <b>Gross volume, 1st cavity</b>     | 79 l              | <b>Safety Thermostat</b>                      | Yes                |
| <b>Cavity material</b>              | Ever Clean enamel | <b>Cooling system</b>                         | Tangential         |
| <b>No. of shelves</b>               | 5                 | <b>Usable cavity space dimensions (HxWxD)</b> | 360X460X425 mm     |
| <b>Type of shelves</b>              | Metal racks       | <b>Temperature control</b>                    | Electro-mechanical |
| <b>Light type</b>                   | Halogen           | <b>Lower heating element power</b>            | 1200 W             |
| <b>Light Power</b>                  | 40 W              | <b>Upper heating element - Power</b>          | 1000 W             |
| <b>Cooking time setting</b>         | Start and Stop    |                                               |                    |
| <b>Light when oven door is open</b> | Yes               |                                               |                    |

|                       |           |                                  |          |
|-----------------------|-----------|----------------------------------|----------|
| Door opening          | Flap down | Grill element                    | 1700 W   |
| Removable door        | Yes       | Large grill - Power              | 2700 W   |
| Full glass inner door | Yes       | Circular heating element - Power | 2000 W   |
|                       |           | Grill type                       | Electric |

## Options Main Oven

|                               |     |                     |        |
|-------------------------------|-----|---------------------|--------|
| Timer                         | Yes | Minimum Temperature | 50 °C  |
| End of cooking acoustic alarm | Yes | Maximum temperature | 260 °C |

## Second Oven Technical Features



|                                 |                   |                                        |                    |
|---------------------------------|-------------------|----------------------------------------|--------------------|
| Net volume of the second cavity | 35 l              | No. total door glasses                 | 3                  |
| Gross volume, 2nd cavity        | 36 l              | No. thermo-reflective door glasses     | 2                  |
| Cavity material                 | Ever Clean enamel | Safety Thermostat                      | Yes                |
| No. of shelves                  | 4                 | Cooling system                         | Tangential         |
| Type of shelves                 | Metal racks       | Usable cavity space dimensions (HxWxD) | 311x206x418 mm     |
| No. of lights                   | 1                 | Temperature control                    | Electro-mechanical |
| Light type                      | Incandescent      | Lower heating element - power          | 700 W              |
| Light Power                     | 25 W              | Upper heating element - Power          | 600 W              |
| Door opening                    | Flap down         | Grill element - power                  | 1300 W             |
| Removable door                  | Yes               | Large grill - Power                    | 1900 W             |
| Full glass inner door           | Yes               | Grill type                             | Electric           |
| Removable inner door            | Yes               |                                        |                    |

## Options Auxiliary Oven

|                     |       |                     |        |
|---------------------|-------|---------------------|--------|
| Minimum Temperature | 50 °C | Maximum temperature | 245 °C |
|---------------------|-------|---------------------|--------|

## Accessories included for Main Oven & Hob



|                              |   |                                            |   |
|------------------------------|---|--------------------------------------------|---|
| Rack with back and side stop | 2 | Grill mesh                                 | 1 |
| 40mm deep tray               | 1 | Telescopic Guide rails, partial Extraction | 1 |


## Accessories included for Secondary Oven

|                              |   |            |   |
|------------------------------|---|------------|---|
| Rack with back and side stop | 1 | Grill mesh | 1 |
| Wide baking tray             | 1 |            |   |

## Electrical Connection

|                              |                         |
|------------------------------|-------------------------|
| Electrical connection rating | 11000 W                 |
| Current                      | 33 A                    |
| Voltage                      | 220-240 V               |
| Voltage 2 (V)                | 380-415 V               |
| Electric cable               | Installed, Single phase |

|                                  |                        |
|----------------------------------|------------------------|
| Additional connection modalities | Double and Three Phase |
| Frequency                        | 50/60 Hz               |
| Terminal block                   | 5 poles                |
| Plug                             | Not present            |




## Compatible Accessories

### BBQ



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

### BN640



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

### GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

### GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.




### BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid



### GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



### KITC9X9-1

Splashback kit, st/steel, 90cm, suitable for Portofino Multifunction, Master and Sinfonia cookers



### KITH900CPF9

Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers



### KITH95CPF9

Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers



### KITPBX

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)



### PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.




### SCRIP

Non-scratch hob scraper - suitable for induction and ceramic hobs



### SFLK1

Child lock



#### **SMOLD**

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



#### **TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

## Symbols glossary

|                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | Energy efficiency class A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |    | Installation in column: Installation in column.                                                                                                                                                                                                                                                                                                                                                        |
|    | Air cooling system: to ensure a safe surface temperatures.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |    | Defrost by time: Manual defrost function. At the end of the set duration, the function stops.                                                                                                                                                                                                                                                                                                          |
|    | Triple glazed doors: Number of glazed doors.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |    | ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.                                                                                                                                                                                                                                                                                                          |
|    | Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking. |    | Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.                                                |
|  | Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.                                                                                                                                                                                                                                                                    |
|  | Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.                                                                                                                                                                                                                                                                                                                                                                                                |  | ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment. |
|  | Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.                                                                                                                                                                                      |  | Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.                                                                                                                                                                          |
|  | Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | Light                                                                                                                                                                                                                                                                                                                                                                                                  |

|                                                                                    |                                                                                                                                                                                                                                                                                             |                                                                                     |                                                                                                                         |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
|    | Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.                                          |    | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |
|    | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.                                                                                                          |    | All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.                        |
|    | The inner door glass: can be removed with a few quick movements for cleaning.                                                                                                                                                                                                               |    | Side lights: Two opposing side lights increase visibility inside the oven.                                              |
|    | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |    | Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.       |
|    | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.                                                                   |    | The oven cavity has 4 different cooking levels.                                                                         |
|  | The oven cavity has 5 different cooking levels.                                                                                                                                                                                                                                             |  | Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.       |
|  | Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.                                                                            |  | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.                              |
|  | The capacity indicates the amount of usable space in the oven cavity in litres.                                                                                                                                                                                                             |  | The capacity indicates the amount of usable space in the oven cavity in litres.                                         |
|  | 4.3 inch display with LED technology, usability with knobs + 3 touch keys                                                                                                                                                                                                                   |  | Knobs control                                                                                                           |
|  | Automatic merge of zones for a bigger area                                                                                                                                                                                                                                                  |                                                                                     |                                                                                                                         |



---

## Benefit (TT)

---

### **Induction hob**

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

### **Vapor Clean**

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

### **Touch control**

Easy and intuitive timer setting with a single touch

### **Storage compartment**

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

### **True-convection**

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### **Multilevel cooking**

Several cooking levels allow maximum flexibility of use

### **Multilevel halogen light**

Internal halogen lighting on different levels guarantees excellent visibility

### **Removable inner glass**

Internal door glasses are easily removable for complete cleaning

### **Tangential cooling**

New cooling system with tangential fan and airflow from the door to the splashback

### **Telescopic guides**

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

### **Adjustable height**

Cooker top flushed with the working area thanks to adjustable feet

---

#### **AirFry (AIRFRY optional accessory)**

Lighter and tastier food thanks to airfry basket (optional accessory)

#### **Cold door**

During any function, the external door glass is cold, avoiding any risk of burns

#### **Pizza stone (optional accessory)**

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

#### **BBQ (optional accessory)**

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

#### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

#### **Single turbine**

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat