

# CPR915X

|                   |        |
|-------------------|--------|
| Product Family    | Drawer |
| Commercial height | 14 cm  |
| Type              | Reheat |



## Aesthetics

|           |                 |               |             |
|-----------|-----------------|---------------|-------------|
| Aesthetic | Victoria        | Type of steel | Brushed     |
| Colour    | Stainless steel | Logo          | Silk screen |
| Finishing | Fingerproof     | Logo position | Inside      |
| Material  | Stainless steel |               |             |

## Controls

|                             |                  |                 |              |
|-----------------------------|------------------|-----------------|--------------|
| Type of control setting     | Control knobs    | Control knobs   | Standard     |
| Type of temperature control | Electro-mechanic | Controls colour | Steel effect |
| No. of controls             | 1                |                 |              |

## Program / Functions

|             |     |
|-------------|-----|
| Defrost     | Yes |
| Proofing    | Yes |
| Mug warmer  | Yes |
| Keep warm   | Yes |
| Dish warmer | Yes |
| Reheating   | Yes |

## Technical Features

|                      |                 |                     |              |
|----------------------|-----------------|---------------------|--------------|
| Opening mechanism    | Push-pull       | Type of heating     | Fan assisted |
| Base material        | Stainless steel | Minimum temperature | 30 °C        |
| Max weight allowance | 15 kg           | Maximum temperature | 80 °C        |

|                               |       |
|-------------------------------|-------|
| Maximum drawer loading weight | 85 kg |
| Capacity                      | 21 l  |

|                      |                       |
|----------------------|-----------------------|
| Accessories included | Silicone antislip mat |
|----------------------|-----------------------|

## Electrical Connection


|               |              |
|---------------|--------------|
| Plug          | (F;E) Schuko |
| Nominal power | 400 W        |
| Current       | 2 A          |

|                |           |
|----------------|-----------|
| Voltage (V)    | 220-240 V |
| Frequency (Hz) | 50-60 Hz  |

## Logistic Information

|            |        |
|------------|--------|
| Width (mm) | 597 mm |
| Depth (mm) | 538 mm |

|                     |        |
|---------------------|--------|
| Product Height (mm) | 135 mm |
|---------------------|--------|



---

## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

---

## Alternative products

---

**CPR915P**

Colour: Cream



**CPR915N**

Colour: Black



---

## Symbols glossary

---



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.