

# FAB10HRPK6



|                  |               |
|------------------|---------------|
| Product Family   | Refrigerator  |
| Installation     | Free standing |
| Category         | One Door      |
| Reference width  | Until 60 cm   |
| Reference height | Until 100 cm  |
| Cooling type     | Static        |
| Defrost          | Automatic     |
| Hinge type       | Standard      |
| Hinge position   | Right         |
| EAN code         | 8017709342609 |



## Aesthetics

|           |              |               |         |
|-----------|--------------|---------------|---------|
| Aesthetic | 50's Style   | Handle type   | Fixed   |
| Colour    | Pink         | Handle colour | Chrome  |
| Design    | Rounded      | Logo colour   | Chrome  |
| Finishing | Glossy       | Side material | Steel   |
| Material  | Heat-moulded | Side colour   | Cream   |
| Handle    | External     | Logo          | Applied |

## Refrigerator compartment features



|                                        |       |                                 |     |
|----------------------------------------|-------|---------------------------------|-----|
| No. of adjustable shelves              | 2     | Internal light in fridge        | Yes |
| Shelves material                       | Glass | Type of internal light (fridge) | LED |
| No. of lights refrigerator compartment | 1     |                                 |     |

## Refrigerator Inner Door

|                                   |   |                       |   |
|-----------------------------------|---|-----------------------|---|
| Number of adjustable door shelves | 2 | No. of bottle shelves | 1 |
|-----------------------------------|---|-----------------------|---|

## Other Refrigerator features

|             |                                 |
|-------------|---------------------------------|
| Accessories | Bottle rack, Separatore lattine |
|-------------|---------------------------------|

## Other technical features

|                             |                    |
|-----------------------------|--------------------|
| Type of temperature control | Electro-mechanical |
| No. of compressors          | 1                  |
| Refrigerant gas type        | R600a              |
| Type of compressor          | Standard           |
| Refrigerant Quantity (g)    | 28 g               |
| Foam agent                  | Cyclopentane       |

## Performance / Energy Label - Reg. 2019


|                                                                                  |          |                                                                                |                  |
|----------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------|------------------|
|  |          |                                                                                |                  |
| Annual energy consumption                                                        | 72 kWh/a | Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s) | 135 l            |
| Energy efficiency class                                                          | D        | Airborne acoustical noise emissions                                            | 35 dB(A) re 1 pW |
| Airborne acoustical noise emission class                                         | B        | Climate class                                                                  | SN, N, ST, T     |
| Total net volume                                                                 | 135 l    | EI                                                                             | 79 %             |

## Electrical Connection

|                              |           |                           |              |
|------------------------------|-----------|---------------------------|--------------|
| Electrical connection rating | 50 W      | Frequency (Hz)            | 50 Hz        |
| Current                      | 0.35 A    | Power supply cable length | 180 cm       |
| Voltage (V)                  | 220-240 V | Plug                      | (F;E) Schuko |

## Logistic Information

|                      |        |                                          |         |
|----------------------|--------|------------------------------------------|---------|
| Width                | 545 mm | Product width with maximum doors opening | 842 mm  |
| Depth without handle | 659 mm | Product depth with handle                | 701 mm  |
| Height               | 970 mm | Product depth with doors open at 90°     | 1085 mm |



---

## Alternative products

---



**FAB10HRWH6**

**Hinge position:** Right  
White



**FAB10HRPB6**

**Hinge position:** Right  
Pastel blue



**FAB10HRCR6**

**Hinge position:** Right  
Cream



**FAB10HRBL6**

**Hinge position:** Right  
Black



**FAB10HRPG6**

**Hinge position:** Right  
Pastel green



**FAB10HRDIT6**

**Hinge position:** Right  
Decorated / Special



**FAB10HRRD6**

**Hinge position:** Right  
Red

---

## Symbols glossary

---



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class D