

FC84EN4HM1



Product Family	Refrigerator
Installation	Free standing
Category	Bottom Mount
Reference width	Higher than 80 cm
Reference height	160 - 200 cm
Sistema Total No - Frost	Yes
Cooling type	Total No Frost - Double Cooling system
Defrost	Automatic
Hinge type	Standard
Slot-in	Yes
Hinge position	Right
Reversible door	Yes
EAN code	8017709358648



Aesthetics



Aesthetic	Universale	Handle colour	Silver
Colour	Marble look	Logo colour	Chrome
Design	Flat	Side material	Steel
Finishing	Fingerproof	Side colour	Silver
Material	Stainless steel	Logo	Applied
Door steel type	Finger proof	Display	LCD Touch
Handle	External	Display position	Esterno (su porta)
Handle type	Fixed		

Refrigerator compartment features



Number of compartments	3	Crisper Cover	Yes
Compartment types	Low temperature compartment, Fruit and vegetable compartment	Type of crisper/vegetable drawers cover	Glass
No. of adjustable shelves	3	No. of lights refrigerator compartment	3
Number of fruit and vegetables drawers	2	Low temperature compartment	Yes
Shelves material	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	Standard	Type of internal light (fridge)	LED

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features



Humidity Control Accessories	Yes, manual Egg tray	MultiFlow	Yes
------------------------------	----------------------	-----------	-----

Freezer compartment features


No. of shelves	1	Type of shelves	Plastic
No. of compartments with flap	1		

Other Freezer features



Ice maker	Manual	Fast freezing compartment	Yes
-----------	--------	---------------------------	-----

Other technical features



Functions display	Holiday, Fast freezing, Fast cooling, Control lock, Cooling timer
Door open alarm	Yes
Temperature Alarm	Yes
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	326 kWh/a	Airborne acoustical noise emissions	41 dB(A) re 1 pW
Energy efficiency class	E	Temperature Rise Time	14,30 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	12,0 kg/24h

Total net volume	588 l
Sum of the volumes of the frozen compartment(s)	181 l
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	407 l

Climate class	SN, T
EEI	100 %

Electrical Connection

Electrical connection rating	207 W
Current	1,58 A
Voltage (V)	220-240 V

Frequency (Hz)	50 Hz
Power supply cable length	180 cm
Plug	(F;E) Schuko

Logistic Information

Width	840 mm
Depth without handle	750 mm

Height	1860 mm
Product width with maximum doors opening	1535 mm

Alternative products



FC84EN4HX1

Hinge position: Right
Stainless steel

Symbols glossary

	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	LCD display: to optimize performance and simplify the use of the appliance.		Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.
	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.		Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working.
	LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.		Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.
	Multiflow Cooling System: the Multiflow ventilation system allows an even distribution of cool air around the fridge cabinet.		Slot-in: The refrigerators with Slot-in opening can be perfectly integrated into the furniture structure, as the doors open at 90° do not go beyond the side of the product. In case of installation next to the wall, it will be necessary to consider the dimensions of the handle in order to open the door at 90°.
	Energy efficiency class E		