

# LFTG861D

|               |                 |
|---------------|-----------------|
| Sink material | Stainless steel |
| Type          | Welded sink     |
| No. of bowls  | 1               |
| Drainer       | Right           |
| EAN code      | 8017709282400   |



## Aesthetics



|           |                 |                            |            |
|-----------|-----------------|----------------------------|------------|
| Aesthetic | Universale      | Building in type           | Flat       |
| Colour    | Stainless steel | Logo                       | Embossed   |
| Finishing | Scotch Brite    | Tap hole / precut tap hole | 2 Tapholes |
| Series    | Mira            |                            |            |

|         | Bowl type LH   | Bowl thickness LH (mm) | Bowl dimensions LH, WxDxA (mm) | LH Bowl depth (mm) | Radius corner left bowl | Overflow LH bowl  | Strainer position LH bowl | Strainer dimension LH bowl |
|---------|----------------|------------------------|--------------------------------|--------------------|-------------------------|-------------------|---------------------------|----------------------------|
| LH Bowl | Minimum radius | 1                      | 450 x 400 x 200                | 200                | 15                      | Yes, flush fitted | Wall position             | 3.5"                       |

## Technical Features




|                                |                |                                       |               |
|--------------------------------|----------------|---------------------------------------|---------------|
| Frame thickness                | 0.7 mm         | Tap hole diameter                     | 35 mm         |
| Frame depth (mm)               | 18             | Popup command                         | Yes, single   |
| Dimensions of the product (mm) | 218x870x510 mm | Popup command type                    | Squared       |
| Cutout dimension topmount (mm) | 840 x 480 mm   | Drainer inclination                   | 2 °           |
| Undermount cutout radius       | 5 mm           | Gasket type                           | Sealing paste |
| Height from kitchen top        | 1 mm           | No. of clips                          | 10            |
| Base unit size                 | 60 cm          | Type of clips                         | Standard      |
| Tap hole                       | 2              | Possibility to install waste disposal | Yes           |

## Accessories included

### Accessories for installation

Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips, Gasket, Automatic pop - up with round rotary control



## Compatible Accessories



**3712**

Siphon single bowl sinks (dishwasher connection included)



**CB28QU**

Single HPL chopping board for minimum radius, oak, measures 280 x 418 H 12 mm



**COL19H**

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 100 mm



**DB34**

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



**KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITSLTRND1**

Bowl automatic pop up Rondò waste kit with rectangular overflow and round knob



**CB25MN**

Single HPE chopping board to fit minimum radius bowls, black matt, measures 250 x 410 H 12 mm, dishwasher safe



**COL19**

St/Steel colander to fit MINIMUM radius mm bowl, measures 200 x 410 x 26 mm



**COL36**

St/steel colander for MINIMUM radius bowls, measures 370 x 410 x 30 mm



**KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



**STABMIX**

Tap stabiliser

---

## Symbols glossary

---



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Flat: Installation of product with flat edge.