

# LZ102AV2

|               |                |
|---------------|----------------|
| Sink material | Composite      |
| Type          | Composite sink |
| No. of bowls  | 1 + 1/2        |
| Drainer       | Reversible     |
| EAN code      | 8017709274566  |



## Aesthetics



|                  |            |                               |                                                      |
|------------------|------------|-------------------------------|------------------------------------------------------|
| Aesthetic        | Universale | Logo                          | Applied/on overflow                                  |
| Colour           | Oats       | Alternative colours available | White, Anthracite, Cream, Copper, Cemento / Concrete |
| Series           | Rigae      | Tap hole / precut tap hole    | Prepared                                             |
| Building in type | Standard   |                               |                                                      |

|         | Bowl type RH | Bowl dimensions, WxDxH (mm) | Bowl depth (mm) | Radius corner right bowl (mm) | Overflow LH bowl | Strainer position | Strainer dimension |
|---------|--------------|-----------------------------|-----------------|-------------------------------|------------------|-------------------|--------------------|
| RH Bowl | Half bowl    | 150 x 340 x 168             | 168             | 50                            |                  | Centre of bowl    | 3.5"               |
| LH Bowl | Traditional  | 420 x 320 x 210             | 210             | 80                            | Yes, traditional | Side bowl         | 3.5"               |

## Technical Features



### Characteristics composite material

Antibacterial, Easy to clean, Anti-scratch , Thermal shock resistant, High temperatures resistant, Impact resistant, UV Resistant

Frame depth (mm) 10

|                     |          |
|---------------------|----------|
| Tap hole            | 2        |
| Tap hole diameter   | 35 mm    |
| Dividing wall width | 38 mm    |
| Drainer inclination | 2 °      |
| No. of clips        | 10       |
| Type of clips       | Standard |


---

|                                |                 |
|--------------------------------|-----------------|
| Dimensions of the product (mm) | 210x1000x500 mm |
| Cutout dimension topmount (mm) | 980 X 480 mm    |
| Undermount cutout radius       | 30 mm           |
| Height from kitchen top        | 10 mm           |
| Base unit size                 | 60 cm           |

## Accessories included

---

|                              |                                                                            |
|------------------------------|----------------------------------------------------------------------------|
| Accessories for installation | Strainer, Savespace siphon with dishwasher outlet connection, Fixing clips |
|------------------------------|----------------------------------------------------------------------------|



---

## Compatible Accessories

---



### **KITDSQ**

Soap dispenser chrome finishing with square knob 40x40 mm



### **KITFD075**

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### **KITFD050**

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



### **KITFD100**

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet

---

## Alternative products

---

**LZ102CT**

**Colour:** Cement / Concrete



**LZ102B**

**Colour:** White



**LZ102A2**

**Colour:** Anthracite



**LZ102P**

**Colour:** Cream



## Symbols glossary

|                                                                                  |                                                                                                                                             |                                                                                   |                                                                                             |
|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|  | Cupboard width required for sink installation.                                                                                              |  | Sink depth - depending on the model, the depth can be from 13 to 24,5.                      |
|  | Sink depth - depending on the model, the depth can be from 13 to 24,5.                                                                      |  | Standard installation: Traditional installation in tabletop, suitable for any kitchen sets. |
|  | Antibacterial                                                                                                                               |  | Antiscratch                                                                                 |
|  | Thermal shock resistant                                                                                                                     |  | High temperatures resistant                                                                 |
|  | Impact resistant                                                                                                                            |  | Easy to clean                                                                               |
|  | Thanks to the double tap hole, most of our sinks are easily reversible, giving you the flexibility to make any type of kitchen composition. |  | UV protection, does not fade over time.                                                     |