

# MAP99CR



|                           |       |
|---------------------------|-------|
| Product family            | Taps  |
| Material                  | Brass |
| Swivelling spout          | Yes   |
| Swivelling spout rotation | 360 ° |



## Aesthetics

|            |                             |                                  |                                         |
|------------|-----------------------------|----------------------------------|-----------------------------------------|
| Aesthetic  | Universale                  | Handle for filtered water supply | Yes                                     |
| Colour     | Chrome                      | Jet type                         | Single jet                              |
| Spout type | L spout                     | Aerator                          | Yes with double flow for filtered water |
| Tap type   | Double lever filtered water | Flexible hoses number            | 3                                       |
| Finishing  | Glossy                      |                                  |                                         |


## Technical Features



|                           |         |                               |                             |
|---------------------------|---------|-------------------------------|-----------------------------|
| Characteristics           | ESC     | Ceramic disc cartridge type   | 35 Ø                        |
| Flexible hoses lenght     | 360 mm  | Tap hole diameter             | 35 mm                       |
| Flexible hoses connection | 3/8 "   | Filtered water cartridge type | 20x1                        |
| Maximum pressure          | 10 bar  | Water depuration filter       | Yes                         |
| Minimum pressure          | 0,5 bar | Water depuration filter type  | FIAP 16007 - 1100l capacity |
| Optimal pressure          | 3 bar   |                               |                             |

## Logistic Information

|                     |        |
|---------------------|--------|
| Product height (mm) | 272 mm |
|---------------------|--------|



---

## Symbols glossary

---



ESC: with the ESC Energy Saving Cartridge system the control lever positioned in the middle dispenses only cold water, and not 50% of hot and 50% of c



Swivel spout rotation 360°