

P875PO



Product Family	Hob
Built-in type	Traditional
Dimensions	70/75 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709260002



Aesthetics



Aesthetic	Coloniale
Colour	Cream
Material	Verniciato
Frame	Yes
Frame colour	Cream
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Antique brass
Components finishing	Antique brass
Logo	Silk screen
Serigraphy colour	Gold
Alternative colours available	Anthracite

Program / Functions

No. of ceramic cook zones	5
Power levels	6
Total no. of cook zones	5

Options

Worktop Cut-Out	490x685 mm
-----------------	------------

Technical Features



Front-left - Ceramic - Single - 1.80 kW - Ø 18.0 cm
 Rear-left - Ceramic - Single - 1.20 kW - Ø 14.0 cm
 Central - Ceramic - Extendable - 2.00 kW - 15.0x25.0 cm
 Rear-right - Ceramic - Double - 2.40 kW - Ø 21.0 cm
 Front-right - Ceramic - Single - 1.20 kW - Ø 14.0 cm

Minimum pan diameter indication Yes


Residual heat indicator Yes

Automatic switch off when overheat Yes

Electrical Connection

Electrical connection rating (W) 8600 W
Current 24 A
Voltage (V) 220-240 V
Voltage 2 (V) 380-415 V
Type of electric cable installed Yes, Three-phase

Additional connection modalities Yes, Single and Double phase
Frequency (Hz) 50/60 Hz
Power supply cable length 150 cm
Terminal box 6 poles
Plug Not present



Compatible Accessories

5MP700AO

Hob knobs set - Cortina Anthracite/Old brass for Gas on Glass hobs



5MP800A

Hob knobs set - Coloniale Gold/Anthracite for gas on glass hobs



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



5MP700PO

Hob knobs set - Cortina Cream/Old brass for Gas on Glass hobs



5MP800P

Hob knobs set - Coloniale Gold/Cream for gas on glass hobs



Alternative products



P875AO

Colour: Anthracite

Symbols glossary



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control