

VSTR3434-2

Sink material

Stainless steel

Type

Side by side undermount bowls

No. of bowls

2

EAN code

8017709190576



Aesthetics



Aesthetic

Universale

Building in type

Undermount

Colour

Stainless steel

Logo

Embossed

Finishing

Brushed

Tap hole / precut tap hole

No Taphole

Series

Mira

	Bowl type RH	Bowl thickness (mm)	Bowl dimensions, WxDxH (mm)	Bowl depth (mm)	Radius corner right bowl (mm)	Overflow	Strainer position	Strainer dimension
RH Bowl	Minimum radius	1	340 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"
LH Bowl	Minimum radius	1	340 x 400 x 200	200	15	Yes, flush fitted	Wall position	3.5"

Technical Features



Frame thickness

1 mm

Tap hole diameter

35 mm

Dimensions of the product (mm)

200x802x472 mm

Dividing wall width

48 mm

Cutout dimension undermount (mm)

411*740 mm

No. of clips

8


Type of clips

Undermount clip

Base unit size

90 cm

Accessories included



Compatible Accessories



3713

Siphon double bowls sinks (dishwasher connection included)



DB34

St/steel drain basket to fit STD radius 340 x 400 bowl, 180 mm depth



KITFD050

Waste disposal 0,5 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD075

Waste disposal 0,75 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



KITFD100

Waste disposal 1 HP, Motor: 1/2 horsepower, Fits all sinks with 3 1/2" waste outlet



RND1V

Rondò waste kit 1 bowl with standard overflow

Symbols glossary



Cupboard width required for sink installation.



Sink depth - depending on the model, the depth can be from 13 to 24,5.



Under table top installation: The sink is fixed under tabletop, which extends the work surface and the depth of the sink.